

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claim 1 (Original): A flat microlens wherein:

said microlens is formed using a transparent DLC film;

said DLC film includes a region with graded refractive indices; and

when a light beam passes through said region with graded refractive indices, said light beam is focused.

Claim 2 (Original): A flat microlens according to claim 1 wherein:

a refraction lens region with a relatively high refractive index is formed on a first main surface of said DLC film; and

said lens region includes a convex lens formed from said first main surface and a surrounding boundary surface corresponding to part of a roughly spherical surface.

Claim 3 (Original): A flat microlens according to claim 1 wherein:

a refraction lens region with a relatively high refractive index is formed on said first main surface to correspond with each of said microlenses; and

said lens region has a shape of a columnar convex lens formed from said first main surface surrounded by a boundary surface corresponding to a part of a roughly cylindrical surface with a central axis parallel to said main surface.

Claim 4 (Original): A flat microlens according to claim 1 wherein:

a refraction lens with a relatively high refractive index is formed on said DLC film corresponding to each of said microlenses;

said lens region has a roughly cylindrical shape that passes completely through said DLC film; and

a width of said band-shaped region decreases as a distance from a predetermined band-shaped region increases.

Claim 9 (Original): A microlens according to claim 8 wherein:

said DLC film includes m concentric band zones, each of said band zones containing n band-shaped regions;

in each of said band zones, band-shaped regions closer to said predetermined band-shaped region have higher refractive indices than band-shaped regions that are further away; and

corresponding band-shaped regions in different band zones have identical refractive indices.

Claim 10 (Currently Amended): A flat microlens according to ~~any one of claim 1 through claim 9~~ wherein said microlens can act as a lens for light containing wavelengths in a range from 0.4 microns to 2.0 microns.

Claim 11 (Currently Amended): A method for making a flat microlens according to ~~any one of claim 1 through claim 10~~ wherein said DLC film is formed using plasma CVD.

Claim 12 (Original): A method for making a flat microlens according to claim 11 wherein a refractive index of a region in said DLC film with a relatively high refractive index can be formed by increasing refractive index through application of an energy beam to said DLC film.

Claim 13 (Original): A method for making a flat microlens according to claim 12 wherein said energy beam application can include ultraviolet radiation, X-ray radiation, synchrotron radiation, ion beam radiation, and electron beam radiation.

Claim 14 (Currently Amended): A method for making a flat microlens according to claim 12 ~~or claim 13~~ wherein a plurality of microlenses arranged in an array on a single DLC film is formed simultaneously by applying an energy beam.